

# ARKANSAS

## 2011 Land Line Only Cognitive Impairment Module Variables Report

### Behavioral Risk Factor Surveillance System

May 27, 2012



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

**MODULE 27: COGNITIVE IMPAIRMENT CONTENTS**

**\* NOTE \*\*\*\*\***

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

**\*\*\*\*\***

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	117
2 MALES ONLY	118
3 FEMALES ONLY	119
[IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)	
4 MALES AND FEMALES	120
5 MALES ONLY	121
6 FEMALES ONLY	122
OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)	
7 MALES AND FEMALES	123
8 MALES ONLY	124
9 FEMALES ONLY	125
DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)	
10 MALES AND FEMALES	126
11 MALES ONLY	127
12 FEMALES ONLY	128
AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)	
13 MALES AND FEMALES	129
14 MALES ONLY	130
15 FEMALES ONLY	131
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTFER)	
16 MALES AND FEMALES	132

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011

MODULE 27: COGNITIVE IMPAIRMENT CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
17	MALES ONLY	133
18	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

**MODULE 27: COGNITIVE IMPAIRMENT CONTENTS**

**\* NOTE** \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)	
19 MALES AND FEMALES	135
20 MALES ONLY	136
21 FEMALES ONLY	137
HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)	
22 MALES AND FEMALES	138
23 MALES ONLY	139
24 FEMALES ONLY	140
HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS? (CIMEDS)	
25 MALES AND FEMALES	141
26 MALES ONLY	142
27 FEMALES ONLY	143
HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)	
28 MALES AND FEMALES	144
29 MALES ONLY	145
30 FEMALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3825	1,952,352	604	15.2	13.2-17.2	3221	84.8	82.8-86.8
Male	1336	942,240	226	15.1	12.2-18.0	1110	84.9	82.0-87.8
Female	2489	1,010,112	378	15.3	12.9-17.7	2111	84.7	82.3-87.1
White/Non-Hisp	3040	1,517,087	476	15.2	13.2-17.2	2564	84.8	82.8-86.8
Black or Afr. Am./Non-Hisp	493	239,206	67	13.0	07.3-18.7	426	87.0	81.3-92.7
Oth. Race/Non-Hisp.	61	33,482	17	19.0	07.2-30.8	44	81.0	69.2-92.8
MultiRacial/Non-Hisp.	67	38,273	24	29.5	12.4-46.6	43	70.5	53.4-87.6
Hispanic	98	95,049	8	8.9	00.0-19.1	90	91.1	80.9-0100
18-24	69	219,984	5	6.9	00.4-13.4	64	93.1	86.6-99.6
25-34	185	351,173	13	8.5	03.2-13.8	172	91.5	86.2-96.8
35-44	359	339,159	43	14.4	09.3-19.5	316	85.6	80.5-90.7
45-54	628	359,188	102	19.7	15.4-24.0	526	80.3	76.0-84.6
55-64	924	303,676	148	18.7	15.4-22.0	776	81.3	78.0-84.6
65+	1623	369,706	290	20.3	17.8-22.8	1333	79.7	77.2-82.2
Less Than H.S.	471	338,113	108	21.4	15.9-26.9	363	78.6	73.1-84.1
H.S. or G.E.D.	1375	672,840	245	16.2	13.1-19.3	1130	83.8	80.7-86.9
Some Post-H.S.	903	579,514	133	14.6	10.9-18.3	770	85.4	81.7-89.1
College Graduate	1068	359,623	117	8.6	06.1-11.1	951	91.4	88.9-93.9
Less than \$15,000	566	325,352	153	29.7	23.0-36.4	413	70.3	63.6-77.0
\$15,000- 24,999	704	353,155	127	12.3	08.8-15.8	577	87.7	84.2-91.2
\$25,000- 34,999	431	197,498	71	18.9	13.0-24.8	360	81.1	75.2-87.0
\$35,000- 49,999	479	219,967	68	13.6	09.1-18.1	411	86.4	81.9-90.9
\$50,000- 74,999	484	280,713	50	10.3	06.0-14.6	434	89.7	85.4-94.0
\$75,000+	639	325,990	57	5.8	04.0-07.6	582	94.2	92.4-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1336	942,240	226	15.1	12.2-18.0	1110	84.9	82.0-87.8
White/Non-Hisp	1086	717,065	174	15.0	11.7-18.3	912	85.0	81.7-88.3
Black or Afr. Am./Non-Hisp	138	124,420	22	9.9	03.4-16.4	116	90.1	83.6-96.6
25-34	58	173,585	4	6.1	00.0-12.8	54	93.9	87.2-0100
35-44	135	173,420	14	12.3	04.9-19.7	121	87.7	80.3-95.1
45-54	239	172,570	33	16.7	10.4-23.0	206	83.3	77.0-89.6
55-64	341	150,536	55	19.6	14.3-24.9	286	80.4	75.1-85.7
65+	522	155,609	116	24.4	19.9-28.9	406	75.6	71.1-80.1
Less Than H.S.	153	157,895	39	17.4	10.7-24.1	114	82.6	75.9-89.3
H.S. or G.E.D.	467	344,542	89	16.7	11.6-21.8	378	83.3	78.2-88.4
Some Post-H.S.	285	253,465	53	17.0	10.3-23.7	232	83.0	76.3-89.7
College Graduate	430	186,238	45	7.6	03.9-11.3	385	92.4	88.7-96.1
Less than \$15,000	162	149,212	42	21.3	12.5-30.1	120	78.7	69.9-87.5
\$15,000- 24,999	211	152,873	44	15.6	08.3-22.9	167	84.4	77.1-91.7
\$25,000- 34,999	159	93,829	32	24.4	14.0-34.8	127	75.6	65.2-86.0
\$35,000- 49,999	182	106,591	33	14.4	07.1-21.7	149	85.6	78.3-92.9
\$50,000- 74,999	218	169,325	28	12.9	06.0-19.8	190	87.1	80.2-94.0
\$75,000+	283	183,528	22	4.8	02.4-07.2	261	95.2	92.8-97.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2489	1,010,112	378	15.3	12.9-17.7	2111	84.7	82.3-87.1
White/Non-Hisp	1954	800,023	302	15.3	12.9-17.7	1652	84.7	82.3-87.1
Black or Afr. Am./Non-Hisp	355	114,786	45	16.4	07.0-25.8	310	83.6	74.2-93.0
Hispanic	67	53,301	4	10.1	00.0-26.8	63	89.9	73.2-0100
25-34	127	177,588	9	10.8	02.6-19.0	118	89.2	81.0-97.4
35-44	224	165,739	29	16.6	09.5-23.7	195	83.4	76.3-90.5
45-54	389	186,618	69	22.4	16.3-28.5	320	77.6	71.5-83.7
55-64	583	153,140	93	17.9	14.0-21.8	490	82.1	78.2-86.0
65+	1101	214,097	174	17.3	14.6-20.0	927	82.7	80.0-85.4
Less Than H.S.	318	180,218	69	24.8	16.6-33.0	249	75.2	67.0-83.4
H.S. or G.E.D.	908	328,297	156	15.7	12.4-19.0	752	84.3	81.0-87.6
Some Post-H.S.	618	326,050	80	12.7	08.4-17.0	538	87.3	83.0-91.6
College Graduate	638	173,385	72	9.7	06.6-12.8	566	90.3	87.2-93.4
Less than \$15,000	404	176,140	111	36.8	27.8-45.8	293	63.2	54.2-72.2
\$15,000- 24,999	493	200,282	83	9.8	06.9-12.7	410	90.2	87.3-93.1
\$25,000- 34,999	272	103,669	39	13.9	08.2-19.6	233	86.1	80.4-91.8
\$35,000- 49,999	297	113,376	35	12.8	07.3-18.3	262	87.2	81.7-92.7
\$50,000- 74,999	266	111,388	22	6.2	02.9-09.5	244	93.8	90.5-97.1
\$75,000+	356	142,462	35	7.2	04.3-10.1	321	92.8	89.9-95.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 4: [IF Q1 = 1], NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.											
	TOTAL	WEIGHTED	N	1 person		N	2 people		N	3 people		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	2438	1,612,944	345	12.4	10.2-14.6	35	2.4	01.2-03.6	2	0.1	00.0-00.3	2056	85.1	82.7-87.5
Male	983	814,702	125	11.2	08.1-14.3	16	2.3	00.5-04.1				842	86.5	83.0-90.0
Female	1455	798,242	220	13.6	10.9-16.3	19	2.4	00.6-04.2	2	0.2	00.0-00.6	1214	83.8	80.7-86.9
White/Non-Hisp	1993	1,259,475	287	13.4	11.0-15.8	24	1.6	00.6-02.6	1	0.1	00.0-00.3	1681	84.9	82.4-87.4
Black or Afr. Am./Non-Hisp	256	186,219	28	8.1	02.2-14.0	8	7.1	00.0-14.2				220	84.8	76.0-93.6
Hispanic	69	85,790	5	2.0	00.0-04.2							64	98.0	95.8-0100
18-24	62	208,312	6	8.5	01.2-15.8	6	9.8	01.4-18.2				50	81.7	71.1-92.3
25-34	154	324,314	12	8.4	02.5-14.3							142	91.6	85.7-97.5
35-44	273	299,421	18	8.8	04.1-13.5	4	1.1	00.0-02.3				251	90.1	85.2-95.0
45-54	458	296,216	55	14.2	09.9-18.5	5	1.8	00.0-03.8	2	0.6	00.0-01.6	396	83.4	78.7-88.1
55-64	621	235,649	95	16.0	12.5-19.5	10	2.9	00.7-05.1				516	81.1	77.2-85.0
65+	846	242,150	159	20.1	16.8-23.4	10	1.1	00.3-01.9				677	78.9	75.6-82.2
Less Than H.S.	262	262,545	51	14.5	08.8-20.2	4	2.3	00.0-05.0				207	83.1	77.0-89.2
H.S. or G.E.D.	827	554,265	130	11.6	08.9-14.3	11	3.0	00.5-05.5	1	0.1	00.0-00.3	685	85.3	81.8-88.8
Some Post-H.S.	593	489,250	85	15.0	10.1-19.9	10	2.5	00.0-05.0	1	0.3	00.0-00.9	497	82.3	77.0-87.6
College Graduate	753	305,504	79	7.6	04.7-10.5	10	1.2	00.2-02.2				664	91.2	88.3-94.1
Less than \$15,000	202	218,180	50	25.1	16.3-33.9	3	2.5	00.0-05.6	1	0.2	00.0-00.6	148	72.1	62.9-81.3
\$15,000- 24,999	364	273,913	70	15.7	09.6-21.8	6	5.1	00.0-10.6				288	79.2	71.8-86.6
\$25,000- 34,999	258	155,405	46	13.3	08.6-18.0	4	1.5	00.0-03.3	1	0.9	00.0-02.7	207	84.3	79.0-89.6
\$35,000- 49,999	348	194,036	54	12.0	07.5-16.5	4	1.1	00.0-02.5				290	86.9	82.2-91.6
\$50,000- 74,999	385	258,757	36	4.5	02.5-06.5	5	1.1	00.0-02.5				344	94.4	92.0-96.8
\$75,000+	571	308,576	50	7.4	03.7-11.1	6	1.0	00.0-02.0				515	91.6	87.9-95.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 5: [IF Q1 = 1), NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 person			2 people			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	983	814,702	125	11.2	08.1-14.3	16	2.3	00.5-04.1	842	86.5	83.0-90.0
White/Non-Hisp	814	622,630	102	12.6	08.7-16.5	12	1.9	00.1-03.7	700	85.4	81.3-89.5
Black or Afr. Am./Non-Hisp	86	105,837	5	2.5	00.0-05.2	1	1.5	00.0-04.4	80	96.1	92.2-0100
25-34	52	168,848	2	6.1	00.0-14.3				50	93.9	85.7-0100
35-44	112	159,086	7	8.4	01.3-15.5	1	0.5	00.0-01.5	104	91.1	84.0-98.2
45-54	172	139,184	17	11.0	05.1-16.9	1	0.5	00.0-01.5	154	88.6	82.7-94.5
55-64	242	118,682	33	13.6	08.7-18.5	4	4.0	00.1-07.9	205	82.3	76.2-88.4
65+	368	121,146	62	18.5	13.8-23.2	7	1.6	00.2-03.0	299	79.9	75.0-84.8
Less Than H.S.	102	126,823	19	15.6	06.0-25.2	1	0.1	00.0-00.3	82	84.3	74.7-93.9
H.S. or G.E.D.	339	304,949	44	8.9	05.4-12.4	7	4.8	00.5-09.1	288	86.3	81.0-91.6
Some Post-H.S.	210	218,474	28	15.9	07.5-24.3	5	1.3	00.0-02.7	177	82.8	74.4-91.2
College Graduate	331	164,357	34	5.8	02.9-08.7	3	0.8	00.0-01.8	294	93.4	90.3-96.5
Less than \$15,000	73	112,429	19	20.5	08.7-32.3				54	79.5	67.7-91.3
\$15,000- 24,999	129	119,057	18	15.7	04.3-27.1	3	5.9	00.0-13.7	108	78.4	65.5-91.3
\$25,000- 34,999	110	77,776	21	12.4	06.1-18.7	2	1.0	00.0-02.4	87	86.7	80.2-93.2
\$35,000- 49,999	140	96,922	18	11.1	03.8-18.4	2	1.7	00.0-04.4	120	87.1	79.5-94.7
\$50,000- 74,999	186	160,179	14	3.8	01.3-06.3	2	0.7	00.0-02.1	170	95.4	92.5-98.3
\$75,000+	254	173,549	21	6.4	01.5-11.3	2	0.7	00.0-01.7	231	92.9	87.8-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 6: [IF Q1 = 1], NOT INCLUDING YOURSELF], HOW MANY ADULTS 18 OR OLDER IN YOUR HOUSEHOLD EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE DURING THE PAST 12 MONTHS? (CINOADLT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.											
	TOTAL	WEIGHTED	N	1 person		N	2 people		N	3 people		N	None	
				%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	1455	798,242	220	13.6	10.9-16.3	19	2.4	00.6-04.2	2	0.2	00.0-00.6	1214	83.8	80.7-86.9
White/Non-Hisp	1179	636,845	185	14.1	11.2-17.0	12	1.2	00.2-02.2	1	0.2	00.0-00.6	981	84.5	81.6-87.4
Black or Afr. Am./Non-Hisp	170	80,383	23	15.4	02.9-27.9	7	14.6	00.0-29.5				140	70.0	52.9-87.1
25-34	102	155,466	10	10.8	02.4-19.2							92	89.2	80.8-97.6
35-44	161	140,335	11	9.2	03.1-15.3	3	1.8	00.0-04.2				147	89.0	82.5-95.5
45-54	286	157,031	38	17.0	10.9-23.1	4	3.0	00.0-06.5	2	1.2	00.0-03.2	242	78.8	72.1-85.5
55-64	379	116,967	62	18.4	13.3-23.5	6	1.7	00.1-03.3				311	79.9	74.6-85.2
65+	478	121,004	97	21.6	17.1-26.1	3	0.5	00.0-01.1				378	77.8	73.3-82.3
Less Than H.S.	160	135,722	32	13.6	07.3-19.9	3	4.4	00.0-09.5				125	82.0	74.2-89.8
H.S. or G.E.D.	488	249,317	86	15.0	10.7-19.3	4	0.8	00.0-01.6	1	0.2	00.0-00.6	397	84.0	79.5-88.5
Some Post-H.S.	383	270,777	57	14.3	08.6-20.0	5	3.4	00.0-07.9	1	0.5	00.0-01.5	320	81.8	74.9-88.7
College Graduate	422	141,147	45	9.8	04.7-14.9	7	1.6	00.0-03.2				370	88.6	83.3-93.9
Less than \$15,000	129	105,750	31	30.1	17.2-43.0	3	5.2	00.0-11.5	1	0.4	00.0-01.2	94	64.3	50.8-77.8
\$15,000- 24,999	235	154,856	52	15.7	09.6-21.8	3	4.5	00.0-12.1				180	79.8	71.0-88.6
\$25,000- 34,999	148	77,628	25	14.3	07.2-21.4	2	2.0	00.0-05.1	1	1.9	00.0-05.4	120	81.8	73.6-90.0
\$35,000- 49,999	208	97,113	36	12.8	07.5-18.1	2	0.6	00.0-01.4				170	86.6	81.1-92.1
\$50,000- 74,999	199	98,577	22	5.7	02.4-09.0	3	1.6	00.0-04.3				174	92.7	88.6-96.8
\$75,000+	317	135,028	29	8.7	03.4-14.0	4	1.3	00.0-02.9				284	90.0	84.5-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 7: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29			30-39			40-49			50-59			60-79			80-90+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	378	237,698	11	6.6	01.1-12.1	12	4.4	01.5-07.3	25	14.9	07.8-22.0	51	21.1	12.7-29.5	185	36.0	28.4-43.6	94	17.1	12.2-22.0
Male	139	109,502	4	10.2	00.0-21.4	3	0.7	00.0-01.7	12	16.5	05.5-27.5	20	18.3	06.0-30.6	70	36.0	23.7-48.3	30	18.2	09.8-26.6
Female	239	128,196	7	3.4	00.3-06.5	9	7.6	02.3-12.9	13	13.5	04.3-22.7	31	23.4	12.2-34.6	115	36.1	26.7-45.5	64	16.1	11.0-21.2
White/Non-Hisp	309	188,009	7	5.5	00.2-10.8	9	3.7	01.0-06.4	20	14.6	07.2-22.0	39	20.3	11.5-29.1	152	37.3	28.9-45.7	82	18.7	13.2-24.2
45-54	61	48,030	5	6.0	00.0-12.3	2	3.7	00.0-09.0	12	29.2	13.7-44.7	22	26.3	14.0-38.6	15	22.5	10.2-34.8	5	12.3	00.0-24.6
55-64	105	44,524				2	3.4	00.0-09.3	1	1.6	00.0-04.7	18	20.5	10.3-30.7	61	50.9	38.9-62.9	23	23.6	13.6-33.6
65+	167	50,617				2	0.7	00.0-01.7	2	2.5	00.0-06.0	4	3.7	00.0-07.6	96	52.9	43.9-61.9	63	40.2	31.4-49.0
Less Than H.S.	55	44,336				1	0.4	00.0-01.4	6	33.5	11.4-55.6	9	14.4	04.0-24.8	20	32.2	15.9-48.5	19	19.5	08.7-30.3
H.S. or G.E.D.	140	80,871	6	15.9	01.6-30.2	6	6.3	00.6-12.0	8	8.6	02.1-15.1	15	11.5	04.4-18.6	74	42.0	29.8-54.2	31	15.7	08.1-23.3
Some Post-H.S.	95	85,717	4	2.6	00.0-05.7	3	5.2	00.0-11.3	7	12.6	00.6-24.6	15	31.7	13.3-50.1	43	33.2	18.3-48.1	23	14.6	06.4-22.8
College Graduate	88	26,775	1	1.9	00.0-05.4	2	2.7	00.0-07.2	4	10.0	00.0-20.0	12	26.8	06.4-47.2	48	33.7	20.4-47.0	21	24.9	10.2-39.6
Less than \$15,000	52	59,337	2	2.8	00.0-07.5	3	5.6	00.0-13.2	8	24.7	06.7-42.7	4	9.4	00.0-22.3	22	44.3	25.1-63.5	13	13.2	03.4-23.0
\$15,000- 24,999	76	56,993	2	9.3	00.0-24.2	6	10.2	01.2-19.2	3	7.7	00.0-19.9	10	33.6	10.7-56.5	30	20.5	08.5-32.5	25	18.7	07.5-29.9
\$25,000- 34,999	51	24,462	1	0.6	00.0-01.8	1	2.6	00.0-07.7	3	11.5	00.0-25.2	9	22.3	07.8-36.8	29	47.8	31.1-64.5	8	15.2	03.8-26.6
\$35,000- 49,999	58	25,495	2	5.7	00.0-14.9				3	10.3	00.0-21.5	5	10.2	01.0-19.4	32	51.3	32.9-69.7	16	22.5	09.0-36.0
\$75,000+	55	25,493	1	1.9	00.0-05.8	1	2.4	00.0-07.1	2	5.6	00.0-13.4	13	44.7	19.6-69.8	27	30.6	13.5-47.7	11	14.8	03.2-26.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 8: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29			30-39			40-49			50-59			60-79			80-90+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	139	109,502	4	10.2	00.0-21.4	3	0.7	00.0-01.7	12	16.5	05.5-27.5	20	18.3	06.0-30.6	70	36.0	23.8-48.2	30	18.2	09.6-26.8
White/Non-Hisp	113	90,534	3	7.3	00.0-17.5	2	0.7	00.0-01.7	10	17.5	04.8-30.2	16	20.0	05.5-34.5	56	36.8	22.7-50.9	26	17.6	08.6-26.6
65+	68	24,113				2	1.6	00.0-03.8	1	3.0	00.0-08.9	4	7.7	00.0-15.9	42	55.4	41.5-69.3	19	32.3	19.0-45.6
H.S. or G.E.D.	50	41,380	3	25.3	00.4-50.2	2	1.4	00.0-03.6	7	16.4	03.5-29.3	7	11.4	01.4-21.4	25	32.7	15.3-50.1	6	12.8	00.5-25.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 9: OF THESE PEOPLE, PLEASE SELECT THE PERSON WHO HAD THE MOST RECENT BIRTHDAY. HOW OLD IS THIS PERSON? (CIRBIAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29			30-39			40-49			50-59			60-79			80-90+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	239	128,196	7	3.4	00.3-06.5	9	7.6	02.3-12.9	13	13.5	04.3-22.7	31	23.4	12.2-34.6	115	36.1	26.7-45.5	64	16.1	11.0-21.2
White/Non-Hisp	196	97,475	4	3.8	00.0-07.7	7	6.4	01.3-11.5	10	11.9	03.9-19.9	23	20.5	09.9-31.1	96	37.7	28.1-47.3	56	19.7	13.4-26.0
55-64	68	23,560				2	6.3	00.0-17.3				9	14.1	04.7-23.5	41	55.5	40.4-70.6	16	24.1	11.9-36.3
65+	99	26,504							1	2.0	00.0-05.9				54	50.6	39.0-62.2	44	47.4	35.8-59.0
H.S. or G.E.D.	90	39,491	3	6.0	00.0-13.6	4	11.4	00.8-22.0	1	0.6	00.0-01.8	8	11.6	01.8-21.4	49	51.7	37.2-66.2	25	18.7	10.1-27.3
Some Post-H.S.	62	48,158	3	3.1	00.0-07.8	3	9.3	00.0-19.9	6	21.0	01.2-40.8	11	34.0	10.9-57.1	27	24.2	10.5-37.9	12	8.4	01.9-14.9
College Graduate	52	16,093	1	3.1	00.0-09.2	2	4.5	00.0-11.9	3	11.5	00.0-25.2	7	34.5	04.9-64.1	25	24.2	09.7-38.7	14	22.2	06.3-38.1
\$15,000- 24,999	55	31,267				4	16.6	01.5-31.7	1	0.4	00.0-01.2	7	33.5	04.5-62.5	23	29.6	10.8-48.4	20	19.9	07.6-32.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 10: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	781	420,865	48	6.5	03.6-09.4	39	3.7	02.1-05.3	199	30.7	24.8-36.6	133	15.7	11.2-20.2	362	43.5	37.6-49.4
Male	278	195,860	20	6.0	02.9-09.1	7	1.5	00.1-02.9	64	31.1	21.7-40.5	41	15.1	07.5-22.7	146	46.3	36.9-55.7
Female	503	225,005	28	6.9	02.2-11.6	32	5.6	03.1-08.1	135	30.3	23.0-37.6	92	16.1	11.0-21.2	216	41.1	33.8-48.4
White/Non-Hisp	625	334,503	33	4.7	02.9-06.5	31	4.0	02.2-05.8	144	28.6	22.5-34.7	110	17.3	12.0-22.6	307	45.3	38.8-51.8
Black or Afr. Am./Non-Hisp	85	45,461	8	16.3	00.0-36.3	5	3.9	00.0-09.4	32	40.4	18.1-62.7	11	5.8	00.7-10.9	29	33.6	15.8-51.4
35-44	55	66,402	4	3.2	00.0-07.5	2	1.1	00.0-02.9	16	39.2	21.6-56.8	5	9.8	00.0-20.6	28	46.8	29.7-63.9
45-54	128	91,372	12	8.5	03.0-14.0	11	7.8	02.5-13.1	42	35.2	24.4-46.0	21	13.8	06.9-20.7	42	34.7	23.9-45.5
55-64	201	79,001	10	6.5	02.2-10.8	10	3.5	00.4-06.6	59	34.1	25.9-42.3	42	16.9	11.2-22.6	80	38.9	30.7-47.1
65+	360	95,706	21	7.4	03.9-10.9	14	3.7	01.5-05.9	72	18.2	13.3-23.1	58	15.4	10.9-19.9	195	55.3	49.0-61.6
Less Than H.S.	132	95,403	17	9.6	03.9-15.3	5	2.4	00.0-05.1	40	30.7	19.5-41.9	17	10.9	02.9-18.9	53	46.3	33.2-59.4
H.S. or G.E.D.	308	144,500	17	4.6	02.1-07.1	16	4.7	01.8-07.6	81	34.8	25.4-44.2	47	11.1	06.6-15.6	147	44.8	36.4-53.2
Some Post-H.S.	182	135,036	8	7.6	00.0-15.2	11	3.7	01.0-06.4	47	30.0	18.0-42.0	37	21.1	10.5-31.7	79	37.7	26.1-49.3
College Graduate	159	45,927	6	2.5	00.0-05.0	7	3.3	00.2-06.4	31	19.6	09.6-29.6	32	23.6	10.3-36.9	83	51.1	37.6-64.6
Less than \$15,000	171	122,102	18	11.6	03.0-20.2	12	4.2	01.1-07.3	55	34.7	23.1-46.3	26	13.1	06.2-20.0	60	36.4	24.6-48.2
\$15,000- 24,999	169	82,262	5	1.9	00.0-03.9	10	3.8	00.9-06.7	58	42.6	27.5-57.7	30	21.8	06.9-36.7	66	29.9	18.7-41.1
\$25,000- 34,999	99	51,167	3	4.2	00.0-09.1	6	5.2	00.0-10.5	22	27.0	13.5-40.5	18	23.9	10.2-37.6	50	39.7	27.0-52.4
\$35,000- 49,999	100	43,577	9	8.6	02.3-14.9	2	0.3	00.0-00.7	22	26.2	12.1-40.3	18	13.5	05.5-21.5	49	51.4	37.1-65.7
\$50,000- 74,999	69	35,302	4	7.4	00.0-16.2	4	6.8	00.0-14.6	9	9.8	01.8-17.8	12	7.4	01.9-12.9	40	68.6	53.3-83.9
\$75,000+	82	34,081	6	7.0	00.1-13.9	2	2.4	00.0-06.1	4	4.2	00.0-09.1	15	22.7	05.3-40.1	55	63.7	45.7-81.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 11: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	278	195,860	20	6.0	02.9-09.1	7	1.5	00.1-02.9	64	31.1	21.7-40.5	41	15.1	07.5-22.7	146	46.3	36.9-55.7
White/Non-Hisp	221	158,288	16	5.5	02.4-08.6	6	1.7	00.0-03.5	44	28.2	18.0-38.4	34	15.9	06.9-24.9	121	48.7	37.9-59.5
55-64	71	38,644	6	8.6	01.2-16.0	3	4.0	00.0-09.7	21	33.6	20.5-46.7	9	11.5	04.1-18.9	32	42.3	29.0-55.6
65+	134	44,319	7	6.8	01.1-12.5	3	1.6	00.0-03.6	20	13.3	06.4-20.2	23	16.3	09.0-23.6	81	62.0	52.4-71.6
H.S. or G.E.D.	103	70,417	8	5.4	01.1-09.7	3	2.9	00.0-06.4	27	36.1	20.2-52.0	14	9.4	03.7-15.1	51	46.2	31.9-60.5
Some Post-H.S.	67	65,565	3	2.9	00.0-06.2	2	0.7	00.0-01.9	12	27.2	09.4-45.0	13	24.1	05.7-42.5	37	45.1	26.1-64.1
College Graduate	62	19,947	3	2.7	00.0-06.0	2	1.7	00.0-04.2	11	25.1	06.7-43.5	10	9.9	02.6-17.2	36	60.6	41.0-80.2
\$15,000- 24,999	51	38,346	1	0.5	00.0-01.5	3	2.9	00.0-06.8	16	32.4	10.3-54.5	8	30.7	03.3-58.1	23	33.7	14.1-53.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 12: DURING THE PAST 12 MONTHS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAVE YOU" OTHERWISE, INSERT "HAS THIS PERSON"] GIVEN UP HOUSEHOLD ACTIVITIES OR CHORES [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THEY"] USED TO DO, BECAUSE OF CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIHOWOFT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	503	225,005	28	6.9	02.2-11.6	32	5.6	03.1-08.1	135	30.3	23.0-37.6	92	16.1	11.0-21.2	216	41.1	33.8-48.4
White/Non-Hisp	404	176,216	17	4.1	01.9-06.3	25	6.0	03.1-08.9	100	28.9	22.0-35.8	76	18.6	12.5-24.7	186	42.3	34.9-49.7
Black or Afr. Am./Non-Hisp	64	32,947	8	22.4	00.0-48.9	4	5.0	00.0-12.6	23	35.6	07.2-64.0	10	7.4	00.3-14.5	19	29.6	08.4-50.8
45-54	86	54,845	7	5.2	00.7-09.7	10	11.8	03.6-20.0	30	35.4	22.1-48.7	16	17.2	07.4-27.0	23	30.3	16.2-44.4
55-64	130	40,357	4	4.5	00.0-09.2	7	3.1	00.4-05.8	38	34.5	24.1-44.9	33	22.2	13.8-30.6	48	35.7	25.7-45.7
65+	226	51,387	14	7.9	03.2-12.6	11	5.6	02.1-09.1	52	22.4	15.3-29.5	35	14.6	08.9-20.3	114	49.4	41.6-57.2
Less Than H.S.	86	55,472	11	6.6	02.1-11.1	5	4.1	00.0-08.8	26	30.0	15.3-44.7	13	9.3	02.6-16.0	31	49.9	33.0-66.8
H.S. or G.E.D.	205	74,082	9	3.9	01.0-06.8	13	6.4	02.1-10.7	54	33.6	23.4-43.8	33	12.7	05.8-19.6	96	43.4	33.8-53.0
Some Post-H.S.	115	69,471	5	12.0	00.0-25.9	9	6.4	01.1-11.7	35	32.5	16.2-48.8	24	18.4	08.4-28.4	42	30.7	17.0-44.4
College Graduate	97	25,980	3	2.2	00.0-05.9	5	4.4	00.0-09.7	20	15.4	05.6-25.2	22	34.1	14.1-54.1	47	43.9	27.4-60.4
Less than \$15,000	122	77,507	10	10.3	00.0-22.5	12	6.6	01.7-11.5	37	26.6	14.6-38.6	18	13.3	04.3-22.3	45	43.1	27.6-58.6
\$15,000- 24,999	118	43,916	4	3.2	00.0-06.9	7	4.6	00.1-09.1	42	51.5	33.9-69.1	22	14.1	05.7-22.5	43	26.7	14.4-39.0
\$25,000- 34,999	59	25,404	1	2.6	00.0-07.7	5	9.1	00.0-19.1	13	23.5	09.0-38.0	14	29.4	13.1-45.7	26	35.3	19.6-51.0
\$35,000- 49,999	57	21,269	6	10.8	01.0-20.6	2	0.6	00.0-01.4	15	29.7	12.6-46.8	9	12.6	01.6-23.6	25	46.2	29.0-63.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 13. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Safety		Transportation			HH Activities			Personal Care			Needs assistance but in those areas			No assistance needed		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	762	412,061	61	5.6	03.6-07.6	132	19.4	14.3-24.5	158	24.8	18.9-30.7	74	8.7	06.0-11.4	34	4.9	02.4-07.4	303	36.6	30.9-42.3
Male	272	191,061	23	5.8	02.7-08.9	31	15.9	07.9-23.9	52	25.6	15.8-35.4	35	9.6	05.5-13.7	12	2.7	00.9-04.5	119	40.3	31.1-49.5
Female	490	221,000	38	5.4	03.0-07.8	101	22.3	16.0-28.6	106	24.2	17.1-31.3	39	7.9	04.4-11.4	22	6.7	02.4-11.0	184	33.5	26.4-40.6
White/Non-Hisp	606	327,357	46	5.0	03.0-07.0	100	19.4	13.9-24.9	130	23.9	17.8-30.0	48	7.7	04.8-10.6	29	5.8	02.7-08.9	253	38.2	31.9-44.5
Black or Afr. Am./Non-Hisp	85	44,912	9	10.2	00.0-20.4	15	21.7	01.3-42.1	15	32.6	08.9-56.3	18	13.8	03.6-24.0	2	0.3	00.0-00.9	26	21.4	08.5-34.3
35-44	55	65,466	3	4.4	00.0-10.3	13	37.5	19.5-55.5	12	13.0	04.0-22.0	5	3.8	00.0-08.3	1	4.0	00.0-11.6	21	37.3	20.8-53.8
45-54	125	89,291	12	5.5	02.0-09.0	28	21.9	13.1-30.7	30	27.5	16.7-38.3	16	14.1	06.1-22.1	3	1.7	00.0-03.7	36	29.3	19.1-39.5
55-64	199	77,076	26	11.8	06.1-17.5	29	13.8	08.1-19.5	46	21.4	14.7-28.1	17	10.1	04.8-15.4	8	4.7	00.8-08.6	73	38.2	30.0-46.4
65+	346	92,830	19	5.0	02.5-07.5	58	16.1	11.4-20.8	55	14.8	10.3-19.3	35	11.4	07.1-15.7	19	6.1	03.0-09.2	160	46.7	40.4-53.0
Less Than H.S.	126	93,041	8	3.6	00.7-06.5	21	10.8	04.7-16.9	23	26.2	13.9-38.5	21	13.6	06.3-20.9	4	4.3	00.0-10.0	49	41.5	28.2-54.8
H.S. or G.E.D.	300	140,199	26	7.4	03.5-11.3	54	17.2	10.7-23.7	62	25.3	16.3-34.3	26	7.9	03.8-12.0	14	5.3	01.6-09.0	118	36.9	28.7-45.1
Some Post-H.S.	180	133,505	12	3.9	01.0-06.8	36	31.3	19.1-43.5	39	24.0	11.7-36.3	20	8.4	03.3-13.5	8	2.6	00.4-04.8	65	29.9	19.1-40.7
College Graduate	156	45,317	15	9.2	02.9-15.5	21	8.5	03.8-13.2	34	23.4	12.8-34.0	7	2.1	00.3-03.9	8	11.3	00.0-24.8	71	45.6	32.1-59.1
Less than \$15,000	169	120,096	14	4.3	01.6-07.0	45	31.3	19.1-43.5	38	21.2	11.8-30.6	21	11.9	05.0-18.8	4	3.1	00.0-07.0	47	28.3	17.1-39.5
\$15,000- 24,999	163	78,279	11	6.1	01.0-11.2	23	9.2	03.7-14.7	44	45.6	29.1-62.1	18	7.5	02.4-12.6	5	3.2	00.1-06.3	62	28.4	17.2-39.6
\$25,000- 34,999	96	50,989	7	2.9	00.5-05.3	14	25.0	09.1-40.9	24	23.5	12.9-34.1	7	8.4	01.5-15.3	5	3.8	00.0-08.1	39	36.4	23.9-48.9
\$35,000- 49,999	98	43,293	11	11.5	02.3-20.7	12	16.6	03.5-29.7	20	19.9	09.1-30.7	5	5.8	00.1-11.5	5	2.5	00.0-05.0	45	43.7	29.4-58.0
\$50,000- 74,999	68	34,663	2	0.8	00.0-02.0	17	18.1	06.5-29.7	11	19.9	00.5-39.3	9	14.5	03.3-25.7	3	3.0	00.0-06.9	26	43.8	24.6-63.0
\$75,000+	81	33,449	10	10.6	03.2-18.0	5	4.3	00.2-08.4	9	8.4	01.7-15.1	6	6.2	00.3-12.1	7	16.2	00.0-34.0	44	54.4	36.0-72.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 14. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Safety		Transportation			HH Activities			Personal Care			Needs assistance but in those areas			No assistance needed		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	272	191,061	23	5.8	02.7-08.9	31	15.9	07.9-23.9	52	25.6	15.8-35.4	35	9.6	05.5-13.7	12	2.7	00.9-04.5	119	40.3	31.1-49.5
White/Non-Hisp	214	154,759	16	4.7	01.6-07.8	26	18.5	08.9-28.1	41	23.8	13.2-34.4	24	8.0	03.7-12.3	9	2.9	00.7-05.1	98	42.1	31.5-52.7
55-64	72	39,205	11	13.1	03.3-22.9	5	6.5	00.0-13.2	15	19.8	09.4-30.2	10	14.6	05.4-23.8	2	3.1	00.0-07.8	29	42.9	29.6-56.2
65+	131	43,259	6	4.6	00.5-08.7	15	10.8	04.5-17.1	18	11.6	05.9-17.3	17	13.0	05.9-20.1	9	7.7	02.0-13.4	66	52.3	42.3-62.3
H.S. or G.E.D.	101	68,442	11	10.2	02.8-17.6	12	11.8	02.4-21.2	18	24.9	08.8-41.0	12	9.7	02.1-17.3	3	2.9	00.0-06.4	45	40.4	26.5-54.3
Some Post-H.S.	67	63,782	3	1.9	00.0-04.3	8	29.3	09.9-48.7	11	22.7	03.5-41.9	13	9.3	02.8-15.8	4	2.3	00.0-05.0	28	34.5	17.1-51.9
College Graduate	60	19,503	6	7.2	00.3-14.1	6	5.2	00.5-09.9	15	30.6	11.4-49.8	3	3.3	00.0-07.2	4	4.3	00.0-09.0	26	49.3	27.5-71.1
\$15,000- 24,999	51	37,000	5	9.2	00.0-19.6	5	5.7	00.0-11.8	16	54.5	30.8-78.2	5	4.1	00.0-08.6	3	5.0	00.0-11.3	17	21.5	06.2-36.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 15. AS A RESULT OF [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS, IN WHICH OF THE FOLLOWING FOUR AREAS [IF Q1 = 1 (YES): INSERT "DO YOU" OTHERWISE, INSERT "DOES THIS PERSON"] NEED THE MOST ASSISTANCE? (CIASSIST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Safety		Transportation			HH Activities			Personal Care			Needs assistance but in those areas			No assistance needed		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	490	221,000	38	5.4	03.0-07.8	101	22.3	16.0-28.6	106	24.2	17.1-31.3	39	7.9	04.4-11.4	22	6.7	02.4-11.0	184	33.5	26.4-40.6
White/Non-Hisp	392	172,598	30	5.2	02.8-07.6	74	20.1	14.4-25.8	89	24.1	17.6-30.6	24	7.4	03.3-11.5	20	8.3	02.8-13.8	155	34.8	27.7-41.9
Black or Afr. Am./Non-Hisp	62	32,268	6	8.0	00.0-18.8	14	29.3	02.3-56.3	10	31.1	00.7-61.5	12	12.1	00.0-24.3	1	0.1	00.0-00.3	19	19.3	05.2-33.4
45-54	86	55,090	7	4.4	00.5-08.3	23	29.7	17.2-42.2	20	27.7	14.0-41.4	11	11.7	03.1-20.3	2	1.6	00.0-04.0	23	25.0	13.2-36.8
55-64	127	37,871	15	10.6	04.7-16.5	24	21.4	12.6-30.2	31	23.1	14.5-31.7	7	5.4	00.5-10.3	6	6.3	00.2-12.4	44	33.3	23.7-42.9
65+	215	49,572	13	5.3	02.2-08.4	43	20.6	13.9-27.3	37	17.6	10.9-24.3	18	10.1	05.0-15.2	10	4.6	01.3-07.9	94	41.7	33.9-49.5
Less Than H.S.	82	53,706	5	3.4	00.0-06.9	16	13.7	04.7-22.7	15	24.1	08.8-39.4	14	14.0	04.6-23.4	3	5.9	00.0-15.3	29	38.9	21.3-56.5
H.S. or G.E.D.	199	71,757	15	4.8	01.9-07.7	42	22.4	13.6-31.2	44	25.6	16.6-34.6	14	6.1	02.6-09.6	11	7.5	01.0-14.0	73	33.6	24.6-42.6
Some Post-H.S.	113	69,723	9	5.6	00.3-10.9	28	33.1	17.8-48.4	28	25.1	09.4-40.8	7	7.6	00.0-15.6	4	2.9	00.0-06.4	37	25.7	13.0-38.4
College Graduate	96	25,814	9	10.6	01.2-20.0	15	10.9	03.6-18.2	19	17.8	06.8-28.8	4	1.2	00.0-02.6	4	16.5	00.0-38.5	45	42.9	26.4-59.4
Less than \$15,000	122	77,867	11	4.4	01.1-07.7	37	31.4	17.1-45.7	31	25.0	12.7-37.3	11	8.4	01.1-15.7	3	3.6	00.0-09.1	29	27.2	12.5-41.9
\$15,000- 24,999	112	41,278	6	3.2	00.1-06.3	18	12.4	04.0-20.8	28	37.6	16.2-59.0	13	10.6	02.0-19.2	2	1.6	00.0-04.0	45	34.6	18.9-50.3
\$25,000- 34,999	57	25,187	3	3.3	00.0-07.2	8	19.0	03.3-34.7	17	29.5	14.8-44.2	4	9.1	00.0-19.5	4	5.9	00.0-13.5	21	33.2	17.3-49.1
\$35,000- 49,999	56	21,212	10	20.1	03.6-36.6	7	11.0	02.0-20.0	12	24.7	08.2-41.2	3	6.2	00.0-14.6	1	1.3	00.0-03.8	23	36.7	21.2-52.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 16: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]  
ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTER)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	789	423,529	78	11.5	07.4-15.6	51	6.2	04.0-08.4	170	24.7	19.4-30.0	147	19.5	14.6-24.4	343	38.1	32.4-43.8
Male	283	197,418	28	11.8	05.5-18.1	9	2.3	00.5-04.1	59	24.5	16.1-32.9	60	22.8	14.4-31.2	127	38.5	29.5-47.5
Female	506	226,112	50	11.3	05.8-16.8	42	9.5	05.8-13.2	111	24.9	18.4-31.4	87	16.6	11.3-21.9	216	37.7	30.4-45.0
White/Non-Hisp	628	335,115	55	9.8	05.9-13.7	43	6.6	04.1-09.1	125	23.9	18.2-29.6	117	21.5	15.6-27.4	288	38.2	32.1-44.3
Black or Afr. Am./Non-Hisp	87	46,807	15	25.0	04.2-45.8	3	4.4	00.0-10.7	23	22.6	07.9-37.3	17	13.3	03.3-23.3	29	34.7	13.1-56.3
35-44	56	67,187	7	12.2	00.2-24.2	5	6.4	00.1-12.7	10	25.1	09.0-41.2	15	20.5	07.8-33.2	19	35.8	19.3-52.3
45-54	127	90,660	10	6.7	00.2-13.2	14	9.1	03.8-14.4	41	35.4	24.4-46.4	24	16.8	08.6-25.0	38	32.0	21.6-42.4
55-64	204	80,494	27	16.2	09.7-22.7	14	6.0	02.5-09.5	50	25.1	17.7-32.5	44	21.8	14.4-29.2	69	30.8	23.4-38.2
65+	364	96,753	30	9.9	05.8-14.0	16	5.7	02.4-09.0	59	14.5	10.4-18.6	56	16.1	11.6-20.6	203	53.9	47.6-60.2
Less Than H.S.	132	95,277	25	17.5	08.3-26.7	7	3.7	00.6-06.8	35	23.2	13.2-33.2	19	15.1	05.7-24.5	46	40.5	27.4-53.6
H.S. or G.E.D.	312	145,667	28	7.5	03.6-11.4	14	4.3	01.9-06.7	67	30.6	21.2-40.0	54	18.5	11.8-25.2	149	39.2	31.4-47.0
Some Post-H.S.	185	136,572	19	15.1	05.1-25.1	20	9.0	03.7-14.3	38	21.7	12.1-31.3	34	20.0	09.4-30.6	74	34.2	22.4-46.0
College Graduate	159	45,935	6	1.3	00.1-02.5	10	8.7	01.6-15.8	29	18.1	08.7-27.5	40	30.8	17.5-44.1	74	41.1	28.0-54.2
Less than \$15,000	173	122,410	25	17.7	07.1-28.3	16	7.1	02.2-12.0	56	38.6	26.8-50.4	23	11.9	04.8-19.0	53	24.7	14.9-34.5
\$15,000- 24,999	172	82,812	20	10.1	03.2-17.0	12	5.4	01.5-09.3	39	22.2	10.6-33.8	27	24.0	09.1-38.9	74	38.3	24.0-52.6
\$25,000- 34,999	101	52,695	8	12.9	00.9-24.9	3	3.1	00.0-07.0	22	21.7	10.9-32.5	22	16.1	08.3-23.9	46	46.2	32.5-59.9
\$35,000- 49,999	100	43,577	7	4.9	00.6-09.2	5	8.1	00.5-15.7	13	20.2	06.5-33.9	25	29.1	14.8-43.4	50	37.7	25.2-50.2
\$50,000- 74,999	68	34,515	5	6.0	00.0-12.7	7	10.7	00.9-20.5	8	7.5	00.6-14.4	15	29.0	09.0-49.0	33	46.8	27.6-66.0
\$75,000+	82	33,666	5	4.9	00.0-10.0	1	2.3	00.0-06.8	10	9.4	02.5-16.3	20	31.4	13.4-49.4	46	51.9	33.3-70.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 17: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]  
ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	283	197,418	28	11.8	05.5-18.1	9	2.3	00.5-04.1	59	24.5	16.1-32.9	60	22.8	14.4-31.2	127	38.5	29.5-47.5
White/Non-Hisp	221	157,291	19	10.1	03.2-17.0	5	1.7	00.1-03.3	42	22.8	13.6-32.0	48	26.1	15.9-36.3	107	39.3	28.9-49.7
55-64	73	39,683	14	20.6	09.8-31.4	1	1.4	00.0-04.1	17	22.1	10.9-33.3	16	25.7	13.2-38.2	25	30.2	18.6-41.8
65+	137	45,010	7	6.9	01.2-12.6	6	5.0	00.5-09.5	19	12.8	06.5-19.1	27	19.3	11.9-26.7	78	56.0	46.4-65.6
H.S. or G.E.D.	105	71,116	8	5.9	01.4-10.4	4	1.6	00.0-03.4	24	37.3	21.4-53.2	23	21.1	10.3-31.9	46	34.2	22.2-46.2
Some Post-H.S.	69	66,233	10	17.3	02.6-32.0	2	2.0	00.0-04.9	9	13.3	00.6-26.0	15	27.4	08.6-46.2	33	40.0	21.8-58.2
College Graduate	62	19,947	2	1.6	00.0-04.0	1	4.0	00.0-11.6	13	23.3	05.7-40.9	15	20.5	08.2-32.8	31	50.6	29.6-71.6
Less than \$15,000	50	44,555	9	26.6	07.2-46.0	1	0.8	00.0-02.4	20	38.6	19.2-58.0	7	11.5	00.1-22.9	13	22.6	08.3-36.9
\$15,000- 24,999	53	38,768	4	3.5	00.0-07.8	2	2.5	00.0-06.6	13	28.0	06.4-49.6	13	39.5	13.6-65.4	21	26.5	10.0-43.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 18: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"]  
ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES? (CIINTER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	506	226,112	50	11.3	05.8-16.8	42	9.5	05.8-13.2	111	24.9	18.4-31.4	87	16.6	11.3-21.9	216	37.7	30.4-45.0
White/Non-Hisp	407	177,824	36	9.5	05.0-14.0	38	10.9	06.6-15.2	83	24.9	17.8-32.0	69	17.5	11.4-23.6	181	37.2	30.5-43.9
Black or Afr. Am./Non-Hisp	62	32,282	9	19.1	00.0-45.8	3	6.4	00.0-15.6	16	21.2	02.8-39.6	13	16.6	02.1-31.1	21	36.8	08.0-65.6
45-54	86	55,090	7	3.6	00.1-07.1	13	13.1	05.3-20.9	26	35.0	21.1-48.9	13	14.6	03.8-25.4	27	33.7	20.6-46.8
55-64	131	40,811	13	11.9	04.3-19.5	13	10.5	04.2-16.8	33	28.0	18.2-37.8	28	18.1	10.5-25.7	44	31.4	22.0-40.8
65+	227	51,743	23	12.5	06.6-18.4	10	6.2	01.5-10.9	40	16.0	10.5-21.5	29	13.2	07.9-18.5	125	52.0	44.2-59.8
Less Than H.S.	85	55,155	17	16.9	05.7-28.1	5	4.1	00.0-08.2	22	24.7	10.4-39.0	12	11.9	01.9-21.9	29	42.5	25.3-59.7
H.S. or G.E.D.	207	74,551	20	9.0	02.9-15.1	10	6.8	02.5-11.1	43	24.2	15.2-33.2	31	16.0	08.2-23.8	103	43.9	34.3-53.5
Some Post-H.S.	116	70,338	9	13.0	00.0-26.5	18	15.6	06.0-25.2	29	29.6	15.7-43.5	19	13.0	05.0-21.0	41	28.8	13.5-44.1
College Graduate	97	25,988	4	1.0	00.0-02.2	9	12.4	01.4-23.4	16	14.2	05.2-23.2	25	38.7	19.5-57.9	43	33.8	19.7-47.9
Less than \$15,000	123	77,854	16	12.6	00.4-24.8	15	10.8	03.2-18.4	36	38.5	23.6-53.4	16	12.2	03.2-21.2	40	25.9	12.8-39.0
\$15,000- 24,999	119	44,045	16	15.9	04.3-27.5	10	7.9	01.8-14.0	26	17.1	07.7-26.5	14	10.4	01.6-19.2	53	48.7	30.5-66.9
\$25,000- 34,999	59	25,404	2	3.2	00.0-07.7	1	1.2	00.0-03.6	15	31.1	14.0-48.2	13	17.2	06.4-28.0	28	47.4	30.3-64.5
\$35,000- 49,999	57	21,269	6	7.0	00.5-13.5	4	13.9	00.0-28.0	6	10.8	00.6-21.0	11	22.4	05.9-38.9	30	45.8	28.7-62.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 19: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	791	424,747	71	9.4	06.5-12.3	42	8.2	04.3-12.1	133	19.0	13.9-24.1	91	11.6	07.9-15.3	454	51.7	45.8-57.6
Male	282	198,089	24	8.8	04.1-13.5	14	8.0	02.1-13.9	40	17.3	09.9-24.7	27	10.8	04.3-17.3	177	55.1	45.5-64.7
Female	509	226,658	47	10.0	06.1-13.9	28	8.5	03.2-13.8	93	20.6	13.5-27.7	64	12.3	08.2-16.4	277	48.7	41.3-56.1
White/Non-Hisp	629	335,843	50	8.1	05.2-11.0	34	6.7	03.6-09.8	100	19.6	14.1-25.1	71	11.7	07.4-16.0	374	54.0	47.5-60.5
Black or Afr. Am./Non-Hisp	87	46,721	14	21.2	04.9-37.5	4	12.8	00.0-32.2	16	21.0	00.0-43.1	10	10.1	00.5-19.7	43	35.0	17.8-52.2
35-44	56	67,187	5	8.2	00.0-16.4	2	6.2	00.0-15.6	9	19.1	05.4-32.8	8	16.1	02.6-29.6	32	50.4	33.2-67.6
45-54	128	91,236	14	14.1	05.5-22.7	12	9.1	03.0-15.2	23	16.4	09.0-23.8	13	9.9	03.8-16.0	66	50.5	39.3-61.7
55-64	202	79,495	19	9.5	04.4-14.6	9	4.3	01.0-07.6	42	20.8	13.9-27.7	25	14.7	07.6-21.8	107	50.7	42.3-59.1
65+	367	98,394	31	11.5	07.0-16.0	15	5.0	01.9-08.1	52	12.7	08.6-16.8	41	10.5	06.8-14.2	228	60.3	54.0-66.6
Less Than H.S.	135	97,046	22	16.9	08.1-25.7	7	4.1	00.2-08.0	30	21.9	11.7-32.1	8	5.2	00.3-10.1	68	51.9	39.2-64.6
H.S. or G.E.D.	311	145,145	23	7.7	03.2-12.2	11	8.5	01.6-15.4	52	15.8	09.5-22.1	37	14.9	07.6-22.2	188	53.1	44.3-61.9
Some Post-H.S.	184	136,500	16	6.6	02.7-10.5	15	12.7	03.5-21.9	31	23.7	11.7-35.7	27	12.9	05.5-20.3	95	44.0	31.8-56.2
College Graduate	160	45,977	10	7.5	00.0-15.5	9	2.7	00.5-04.9	19	9.2	03.5-14.9	19	10.7	04.2-17.2	103	69.9	58.7-81.1
Less than \$15,000	172	122,819	19	14.3	06.5-22.1	10	8.9	00.1-17.7	42	23.5	13.3-33.7	17	12.2	04.0-20.4	84	41.0	29.4-52.6
\$15,000- 24,999	172	82,755	16	7.0	01.9-12.1	13	12.9	01.5-24.3	30	24.9	10.0-39.8	23	12.2	04.9-19.5	90	43.0	28.5-57.5
\$25,000- 34,999	101	52,274	8	5.3	01.4-09.2	7	16.3	03.2-29.4	12	11.9	03.5-20.3	13	8.3	02.6-14.0	61	58.2	44.3-72.1
\$35,000- 49,999	100	43,577	8	5.8	00.9-10.7	4	3.5	00.0-07.8	15	19.0	05.7-32.3	14	13.7	04.7-22.7	59	58.0	43.7-72.3
\$50,000- 74,999	69	35,302	6	9.2	00.2-18.2	5	8.0	00.0-16.0	9	8.6	00.6-16.6	7	5.2	00.1-10.3	42	69.0	53.7-84.3
\$75,000+	82	33,666	6	6.4	00.5-12.3	1	0.7	00.0-02.1	6	16.8	00.0-37.8	9	9.1	01.8-16.4	60	67.1	47.5-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 20: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	282	198,089	24	8.8	04.1-13.5	14	8.0	02.3-13.7	40	17.3	09.9-24.7	27	10.8	04.3-17.3	177	55.1	45.5-64.7
White/Non-Hisp	221	158,092	16	7.0	02.5-11.5	10	5.4	00.7-10.1	31	19.7	10.7-28.7	19	11.2	03.4-19.0	145	56.8	46.0-67.6
55-64	71	38,684	8	8.9	02.0-15.8	3	5.3	00.0-11.2	15	23.0	11.4-34.6	5	10.2	00.0-20.8	40	52.5	38.8-66.2
65+	138	46,680	9	10.0	03.1-16.9	5	4.5	00.0-09.2	14	10.6	04.7-16.5	16	11.1	04.8-17.4	94	63.8	54.0-73.6
H.S. or G.E.D.	103	70,536	6	7.2	00.1-14.3	4	9.6	00.0-21.9	14	15.2	05.2-25.2	11	14.5	01.6-27.4	68	53.5	38.4-68.6
Some Post-H.S.	68	65,686	7	4.4	00.5-08.3	5	9.1	00.0-19.3	6	14.9	00.0-30.8	8	13.4	00.5-26.3	42	58.2	39.0-77.4
College Graduate	62	19,947	4	12.5	00.0-29.6	3	2.9	00.0-06.4	5	4.9	00.0-10.0	7	7.2	01.1-13.3	43	72.6	54.6-90.6
\$15,000- 24,999	53	38,768	4	2.9	00.0-06.4	4	16.7	00.0-37.9	7	18.1	00.0-36.3	5	9.6	00.0-20.6	33	52.8	28.5-77.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 21: DURING THE PAST 30 DAYS, HOW OFTEN [IF Q1 = 1 (YES): INSERT "HAS" OTHERWISE, INSERT "HAVE YOU,"] A FAMILY MEMBER OR FRIEND PROVIDED ANY CARE OR ASSISTANCE FOR [IF Q1 = 1 (YES): "YOU" OTHERWISE, INSERT "THIS PERSON"] BECAUSE OF CONFUSION OR MEMORY LOSS? (CIFAMCAR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	506	226,112	50	11.3	05.8-16.8	42	9.5	05.8-13.2	111	24.9	18.4-31.4	87	16.6	11.3-21.9	216	37.7	30.4-45.0
White/Non-Hisp	407	177,824	36	9.5	05.0-14.0	38	10.9	06.6-15.2	83	24.9	17.8-32.0	69	17.5	11.4-23.6	181	37.2	30.5-43.9
Black or Afr. Am./Non-Hisp	62	32,282	9	19.1	00.0-45.8	3	6.4	00.0-15.6	16	21.2	02.8-39.6	13	16.6	02.1-31.1	21	36.8	08.0-65.6
45-54	86	55,090	7	3.6	00.1-07.1	13	13.1	05.3-20.9	26	35.0	21.1-48.9	13	14.6	03.8-25.4	27	33.7	20.6-46.8
55-64	131	40,811	13	11.9	04.3-19.5	13	10.5	04.2-16.8	33	28.0	18.2-37.8	28	18.1	10.5-25.7	44	31.4	22.0-40.8
65+	227	51,743	23	12.5	06.6-18.4	10	6.2	01.5-10.9	40	16.0	10.5-21.5	29	13.2	07.9-18.5	125	52.0	44.2-59.8
Less Than H.S.	85	55,155	17	16.9	05.7-28.1	5	4.1	00.0-08.2	22	24.7	10.4-39.0	12	11.9	01.9-21.9	29	42.5	25.3-59.7
H.S. or G.E.D.	207	74,551	20	9.0	02.9-15.1	10	6.8	02.5-11.1	43	24.2	15.2-33.2	31	16.0	08.2-23.8	103	43.9	34.3-53.5
Some Post-H.S.	116	70,338	9	13.0	00.0-26.5	18	15.6	06.0-25.2	29	29.6	15.7-43.5	19	13.0	05.0-21.0	41	28.8	13.5-44.1
College Graduate	97	25,988	4	1.0	00.0-02.2	9	12.4	01.4-23.4	16	14.2	05.2-23.2	25	38.7	19.5-57.9	43	33.8	19.7-47.9
Less than \$15,000	123	77,854	16	12.6	00.4-24.8	15	10.8	03.2-18.4	36	38.5	23.6-53.4	16	12.2	03.2-21.2	40	25.9	12.8-39.0
\$15,000- 24,999	119	44,045	16	15.9	04.3-27.5	10	7.9	01.8-14.0	26	17.1	07.7-26.5	14	10.4	01.6-19.2	53	48.7	30.5-66.9
\$25,000- 34,999	59	25,404	2	3.2	00.0-07.7	1	1.2	00.0-03.6	15	31.1	14.0-48.2	13	17.2	06.4-28.0	28	47.4	30.3-64.5
\$35,000- 49,999	57	21,269	6	7.0	00.5-13.5	4	13.9	00.0-28.0	6	10.8	00.6-21.0	11	22.4	05.9-38.9	30	45.8	28.7-62.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 22. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	787	422,866	253	30.8	25.7-35.9	534	69.2	64.1-74.3
Male	282	197,538	79	25.1	17.7-32.5	203	74.9	67.5-82.3
Female	505	225,328	174	35.8	28.7-42.9	331	64.2	57.1-71.3
White/Non-Hisp	625	334,102	201	30.0	24.7-35.3	424	70.0	64.7-75.3
Black or Afr. Am./Non-Hisp	88	46,849	27	39.7	18.3-61.1	61	60.3	38.9-81.7
35-44	56	67,187	23	32.2	17.3-47.1	33	67.8	52.9-82.7
45-54	128	91,236	51	39.3	28.5-50.1	77	60.7	49.9-71.5
55-64	199	78,561	70	35.7	27.5-43.9	129	64.3	56.1-72.5
65+	366	97,447	102	28.6	22.9-34.3	264	71.4	65.7-77.1
Less Than H.S.	135	96,452	43	28.8	18.2-39.4	92	71.2	60.6-81.8
H.S. or G.E.D.	309	144,636	84	28.3	20.7-35.9	225	71.7	64.1-79.3
Some Post-H.S.	183	135,990	69	33.9	22.9-44.9	114	66.1	55.1-77.1
College Graduate	159	45,709	56	33.4	21.6-45.2	103	66.6	54.8-78.4
Less than \$15,000	174	122,488	49	31.1	19.5-42.7	125	68.9	57.3-80.5
\$15,000- 24,999	168	81,248	53	29.2	17.8-40.6	115	70.8	59.4-82.2
\$25,000- 34,999	99	52,230	39	39.2	26.3-52.1	60	60.8	47.9-73.7
\$35,000- 49,999	100	43,577	33	42.4	27.9-56.9	67	57.6	43.1-72.1
\$50,000- 74,999	69	35,302	25	27.1	13.2-41.0	44	72.9	59.0-86.8
\$75,000+	82	33,666	26	24.0	12.2-35.8	56	76.0	64.2-87.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 23. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	282	197,538	79	25.1	17.7-32.5	203	74.9	67.5-82.3
White/Non-Hisp	221	157,681	62	25.8	17.4-34.2	159	74.2	65.8-82.6
55-64	72	39,414	28	36.7	24.2-49.2	44	63.3	50.8-75.8
65+	137	45,399	31	23.9	15.3-32.5	106	76.1	67.5-84.7
H.S. or G.E.D.	105	71,116	20	19.2	08.2-30.2	85	80.8	69.8-91.8
Some Post-H.S.	68	65,836	21	22.6	08.7-36.5	47	77.4	63.5-91.3
College Graduate	61	19,678	23	42.4	21.8-63.0	38	57.6	37.0-78.2
Less than \$15,000	50	44,555	14	34.2	14.4-54.0	36	65.8	46.0-85.6
\$15,000- 24,999	51	38,102	11	17.6	04.9-30.3	40	82.4	69.7-95.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 24. HAS ANYONE DISCUSSED WITH A HEALTH CARE PROFESSIONAL, INCREASES IN [IF Q1 = 1 (YES): INSERT "YOUR" OTHERWISE, INSERT "THIS PERSON'S"] CONFUSION OR MEMORY LOSS? (CIHCPROF)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	505	225,328	174	35.8	28.7-42.9	331	64.2	57.1-71.3
White/Non-Hisp	404	176,422	139	33.8	27.1-40.5	265	66.2	59.5-72.9
Black or Afr. Am./Non-Hisp	63	32,325	21	43.4	15.6-71.2	42	56.6	28.8-84.4
45-54	87	55,666	38	41.0	27.7-54.3	49	59.0	45.7-72.3
55-64	127	39,147	42	34.6	24.2-45.0	85	65.4	55.0-75.8
65+	229	52,047	71	32.7	25.3-40.1	158	67.3	59.9-74.7
Less Than H.S.	87	55,544	28	27.2	14.1-40.3	59	72.8	59.7-85.9
H.S. or G.E.D.	204	73,520	64	37.1	27.3-46.9	140	62.9	53.1-72.7
Some Post-H.S.	115	70,154	48	44.5	28.8-60.2	67	55.5	39.8-71.2
College Graduate	98	26,030	33	26.6	13.9-39.3	65	73.4	60.7-86.1
Less than \$15,000	124	77,933	35	29.3	15.2-43.4	89	70.7	56.6-84.8
\$15,000- 24,999	117	43,147	42	39.4	22.5-56.3	75	60.6	43.7-77.5
\$25,000- 34,999	57	24,939	28	59.0	42.3-75.7	29	41.0	24.3-57.7
\$35,000- 49,999	57	21,269	19	42.5	24.7-60.3	38	57.5	39.7-75.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 25. HAVE [IF Q1 = 1 (YES); INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS?  
(CIMEDS)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	248	128,698	132	54.1	44.7-63.5	116	45.9	36.5-55.3
Male	78	49,298	42	52.4	36.5-68.3	36	47.6	31.7-63.5
Female	170	79,400	90	55.1	43.5-66.7	80	44.9	33.3-56.5
White/Non-Hisp	196	98,957	106	57.8	48.4-67.2	90	42.2	32.8-51.6
45-54	51	35,859	29	59.1	41.9-76.3	22	40.9	23.7-58.1
55-64	68	27,216	31	47.9	33.4-62.4	37	52.1	37.6-66.6
65+	99	27,293	57	55.3	43.3-67.3	42	44.7	32.7-56.7
H.S. or G.E.D.	81	40,051	43	63.1	48.4-77.8	38	36.9	22.2-51.6
Some Post-H.S.	68	45,783	30	48.9	30.3-67.5	38	51.1	32.5-69.7
College Graduate	55	15,035	35	54.8	34.8-74.8	20	45.2	25.2-65.2
\$15,000- 24,999	53	23,738	31	59.5	40.1-78.9	22	40.5	21.1-59.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 26. HAVE [IF Q1 = 1 (YES): INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS?  
(CIMEDS)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	78	49,298	42	52.4	36.1-68.7	36	47.6	31.3-63.9
White/Non-Hisp	61	40,522	33	55.2	37.8-72.6	28	44.8	27.4-62.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 27. HAVE [IF Q1 = 1 (YES); INSERT "YOU" OTHERWISE, INSERT "THIS PERSON"] RECEIVED TREATMENT SUCH AS THERAPY OR MEDICATIONS FOR CONFUSION OR MEMORY LOSS?  
(CIMEDS)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	170	79,400	90	55.1	43.5-66.7	80	44.9	33.3-56.5
White/Non-Hisp	135	58,435	73	59.7	48.7-70.7	62	40.3	29.3-51.3
65+	69	16,650	39	60.0	46.3-73.7	30	40.0	26.3-53.7
H.S. or G.E.D.	61	26,395	32	61.1	43.5-78.7	29	38.9	21.3-56.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 28. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Alzheimer's Disease			Yes, some other of dementia, but not Alzheimer's			No diagnosis has been given		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	242	122,304	23	7.3	03.4-11.2	51	21.4	13.8-29.0	168	71.4	63.2-79.6
Male	75	47,506	7	6.4	00.9-11.9	22	28.9	14.4-43.4	46	64.7	49.6-79.8
Female	167	74,798	16	7.8	02.3-13.3	29	16.5	08.5-24.5	122	75.7	66.5-84.9
White/Non-Hisp	192	95,077	16	6.4	02.5-10.3	37	20.5	12.7-28.3	139	73.1	64.7-81.5
55-64	69	26,647	4	9.1	00.0-18.9	18	25.0	13.0-37.0	47	65.9	52.2-79.6
65+	97	26,457	16	16.9	07.5-26.3	16	19.0	09.2-28.8	65	64.1	52.3-75.9
H.S. or G.E.D.	80	38,462	6	4.3	00.2-08.4	17	19.1	08.3-29.9	57	76.6	65.0-88.2
Some Post-H.S.	68	45,217	3	5.7	00.0-12.6	18	21.8	09.3-34.3	47	72.5	58.4-86.6
College Graduate	53	14,223	7	7.8	00.0-15.6	10	26.6	04.3-48.9	36	65.6	44.0-87.2
\$15,000- 24,999	51	22,255	3	3.6	00.0-08.3	17	31.0	14.9-47.1	31	65.4	48.5-82.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 29. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Alzheimer's Disease			Yes, some other of dementia, but not Alzheimer's			No diagnosis has been given		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	75	47,506	7	6.4	00.9-11.9	22	28.9	14.8-43.0	46	64.7	49.6-79.8
White/Non-Hisp	59	38,914	5	5.5	00.2-10.8	14	20.5	07.8-33.2	40	74.0	60.1-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT**

**TABLE 30. HAS A HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR SOME OTHER FORM OF DEMENTIA? (CIDIAGAZ)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Alzheimer's Disease			Yes, some other of dementia, but not Alzheimer's			No diagnosis has been given		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	167	74,798	16	7.8	02.3-13.3	29	16.5	08.5-24.5	122	75.7	66.5-84.9
White/Non-Hisp	133	56,162	11	7.0	01.7-12.3	23	20.6	10.8-30.4	99	72.4	62.0-82.8
65+	67	15,813	10	13.5	04.1-22.9	9	16.8	05.2-28.4	48	69.7	56.2-83.2
H.S. or G.E.D.	60	24,807	5	4.7	00.0-09.6	10	17.6	04.5-30.7	45	77.7	64.0-91.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 27: COGNITIVE IMPAIRMENT

HEALTH CARE PROFESSIONAL EVER SAID THAT [IF Q1 = 1 (YES): INSERT "YOU HAVE" OTHERWISE, INSERT "THIS PERSON HAS"] ALZHEIMER'S DISEASE OR  
FORM OF DEMENTIA? (CIDIAGAZ)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'